

Copper

LP Gas - Copper piping at 2.75 kPa (Low Pressure)

Pressure drop of 0.25 kPa allowed

Index length m	Pipe diameter mm			
	9,5	15	22	28
	MJ/h	MJ/h	MJ/h	MJ/h
3	48	199	495	1 057
6	33	137	340	726
9	27	110	273	583
12	22	94	233	499
15	20	84	207	442
18	18	75	188	401
21	17	70	173	369
24	16	65	161	343
27	15	60	151	322
30	14	57	142	304
38	12	51	126	269
45	11	47	114	244
53	N/A	42	105	225
60	N/A	39	98	209
75	N/A	35	87	186
90	N/A	32	78	167